HOYLES

Compliance Made Easy



Freedor SmartSound is a unique wireless solution that allows fire doors to be held open in any position, automatically closing them when the fire alarm sounds. It makes heavy fire doors effortless to open, enabling easier access.

Benefits



Freedor SmartSound[™]

Freedor SmartSound is a unique wireless device installed at the top of a fire door that allows the door to swing freely and be left open in any position.

The SmartSound listening technology will identify the sound of the fire alarm and close the doors, preventing the spread of smoke and fire.



The free-swing mode removes all resistance from heavy fire doors making them easier to open





¹¹ Our residents, particularly those that are a bit older, struggled with heavy fire doors. Freedor SmartSound really takes the weight away, and we like the fact that the door can be held open at any angle.⁷⁵

Jenny Broadway, Manager

They just do what they're supposed to do — they keep the doors open and close when the alarm sounds.

Kevin Plowright - Hotel Maintenance Manager



Compliance Made Easy



Freedor SmartSound Data Sheet

Information

Freedor SmartSound is a unique wireless solution that allows fire doors to be held open in any position, automatically closing them when the fire alarm sounds. It makes heavy fire doors effortless to open, enabling easier access.

Freedor Silver Finish

Technical information

Power	9V Alkaline battery pack
Expected battery life	3 years
Colour	Silver
Length	320mm
Height	70mm (105mm with arm)
Depth	95mm
Weight	4.5kg (boxed)
Installation position	Top of the door
Activation	SmartSound listening technology
Warranty	3 years
Casing	Acrylic
Hold open	Place open at any angle using free-swing feature
Power size	Power size EN3 (Max. door weight 60 kg & width 950 mm)
Audible warning	Yes
Fire rating	Freedor has been tested to EN1634-1 on FD30 doorsets, exposed and unexposed faces
Compliant to	EN1154, EN1155, EN1634, CE Marked
Classification	Suitable for a Standard (category B) system under BS7273-4: 2015

